



MAIDAID HALCYON AMIKA RANGE

MODELS:

AMH55 WSD
AMH51 D
AMH51

DIMENSIONS:

HxWxD: 810x580x610mm
HxWxD: 810x580x610mm
HxWxD: 810x580x610mm

SUITABLE FOR:



HOUSING
ASSOCIATIONS



HEALTHCARE



HOTELS &
HOSPITALITY

FEATURES:

- ▶ Three button bright LED display with soft touch controls and alarms menu
- ▶ Dosing set up by fascia controls
- ▶ Easy clean parallel wash and rinse arm assembly
- ▶ Accurate detergent and rinse aid peristaltic dosing pumps
- ▶ Optional surface scrap tray filters
- ▶ Breaktank & drain pump as standard

MODEL SPECIFICS:

- ▶ Automatic continuous water softener: AMH55 WSD
- ▶ Gravity drain version available: AMH51
- ▶ Drain pump version available: AMH51 D (drain pump cannot be retro fitted)
- ▶ Drain pump as standard: AMH51 D

ONECARE[∞] This machine is eligible for our all inclusive service solution, One Care.

HALCYON AMIKA RANGE

Dimensions	mm	810x580x610 + Feet			
Feet Height	mm	10-20			
Rack Size	mm	500x500			
Maximum usable height	mm	340			
Door opening	mm	365			
Theoretical productivity	Racks/h	40			
Effective productivity	Racks/h	30			
Wash tank element	kW	2.1			
Boiler element	kW	6			
Wash pump	kW	0.47			
Tank capacity	L	20			
Noise emission	dB	<55			
Installed Power	AMP	kW	230V - 50Hz - 1N	13	2.6
				20	4.5
				30	6.5
Optional 3 Phase config	kW	6.5			
Fused	amp	16			
Inlet water pressure	Bar	2 to 4			
Flow rate L/Min	L/Min	6			
Water inlet temp	°C	10 to 50			
Water connection	BSP	3/4			
Waste connection	Ø	Int 19/ext 24: AMH55 WSD, AMH51 D Int 29/ext 34: AMH51			
Water consumption per cycle	L	2.5			
Wash temperature	°C	60 - adjustable			
Rinse temperature	°C	82 - adjustable: AMH55 WSD 65 - adjustable: AMH51 D, AMH51			



MAIDAID HALCYON AMIKA HOOD RANGE

MODELS:

AMH80
AMH80 D
AMH91
AMH91 D
AMH95 WSD

DIMENSIONS:

HxWxD: 1335x640x745mm
HxWxD: 1335x640x745mm
HxWxD: 1335x640x745mm
HxWxD: 1335x640x745mm
HxWxD: 1335x640x745mm

SUITABLE FOR:



HOUSING
ASSOCIATIONS



HEALTHCARE



HOTELS &
HOSPITALITY

FEATURES:

- ▶ Three button bright LED display with soft touch controls and alarms menu
- ▶ Dosing set up by fascia controls
Accurate detergent and rinse aid peristaltic dosing pump
- ▶ Easy clean parallel wash and rinse arm assembly
Optional surface scrap tray filters

MODEL SPECIFICS:

- ▶ Internal automatic water softener as standard: AMH95 WSD
- ▶ Drain pump as standard: AMH80 D, AMH91 D, AMH95 WSD
- ▶ Drain pump version available: AMH80 D, AMH91 D
- ▶ Gravity drain version available: AMH80, AMH91

ONECARE^{cc} This machine is eligible for our all inclusive service solution, One Care.

HALCYON AMIKA HOOD RANGE

Dimensions	mm	1335x640x745 + Feet		
Feet Height	mm	165-225		
Rack Size	mm	500x500		
Maximum usable height	mm	435		
Door opening	mm	460		
Theoretical productivity	Racks/h	40		
Effective productivity	Racks/h	30		
Wash tank element	kW	2.1		
Boiler element	kW	6		
Wash pump	kW	0.47		
Tank capacity	L	15		
Noise emission	dB	<65		
Installed Power	AMP	230V - 50Hz - 1N	20	4.5
	kW		30	6.5
Optional 3 Phase config	kW	6.5		
Fused	amp	16		
Inlet water pressure	Bar	2 to 4		
Flow rate L/Min	L/Min	6		
Water inlet temp	°C	10 to 50		
Water connection	BSP	3/4		
Waste connection	Ø	Int 19/ext 24: AMH80 D, AMH91, AMH91 D, AMH95 WSD Int 29/ext 34: AMH80		
Water consumption per cycle	L	2.5		
Wash temperature	°C	60 - adjustable		
Rinse temperature	°C	82 - adjustable		